

Reference List for Lifestyle Modification Table

1. Agurs-Collins TD, Kumanyika SK, Ten Have TR, Adams-Campbell LL. A randomized controlled trial of weight reduction and exercise for diabetes management in older African-American subjects. *Diabetes Care* 1997 Oct;20(10):1503-11.
2. Anderson RM, Funnell MM, Butler PM, Arnold MS, Fitzgerald JT, Feste CC. Patient empowerment. Results of a randomized controlled trial. *Diabetes Care* 1995 Jul;18(7):943-9.
3. Arseneau DL, Mason AC, Wood OB, Schwab E, Green D. A comparison of learning activity packages and classroom instruction for diet management of patients with non-insulin-dependent diabetes mellitus. *Diabetes Educ* 1994 Nov-1994 Dec;20(6):509-14.
4. Brown M, Sinacore DR, Ehsani AA, Binder EF, Holloszy JO, Kohrt WM. Low-intensity exercise as a modifier of physical frailty in older adults. *Arch Phys Med Rehabil* 2000 Jul;81(7):960-5.
5. Brown SA. Effects of educational interventions in diabetes care: a meta-analysis of findings. *Nurs Res* 1988 Jul-1988 Aug;37(4):223-30.
6. Brown SA. Interventions to promote diabetes self-management: state of the science. *Diabetes Educ* 1999 Nov-1999 Dec;25(6 Suppl):52-61.
7. Brown SA. Studies of educational interventions and outcomes in diabetic adults: a meta-analysis revisited. *Patient Educ Couns* 1990 Dec;16(3):189-215.
8. Brown SA, Hanis CL. A community-based, culturally sensitive education and group-support intervention for Mexican Americans with NIDDM: a pilot study of efficacy. *Diabetes Educ* 1995 May-1995 Jun;21(3):203-10.
9. Brown SA, Hanis CL. Culturally competent diabetes education for Mexican Americans: the Starr County Study. *Diabetes Educ* 1999 Mar-1999 Apr;25(2):226-36.
10. Campbell EM, Redman S, Moffitt PS, Sanson-Fisher RW. The relative effectiveness of educational and behavioral instruction programs for patients with NIDDM: a randomized trial. *Diabetes Educ* 1996 Jul-1996 Aug;22(4):379-86.
11. Cook CB, Ziemer DC, El-Kebbi IM, Gallina DL, Dunbar VG, Ernst KL, et al. Diabetes in urban African-Americans. XVI. Overcoming clinical inertia improves glycemic control in patients with type 2 diabetes. *Diabetes Care* 1999 Sep;22(9):1494-500.
12. Corkery E, Palmer C, Foley ME, Schechter CB, Frisher L, Roman SH. Effect of a bicultural community health worker on completion of diabetes education in a Hispanic population. *Diabetes Care* 1997 Mar;20(3):254-7.
13. D'Eramo-Melkus GA, Wylie-Rosett J, Hagan JA. Metabolic impact of education in NIDDM. *Diabetes Care* 1992 Jul;15(7):864-9.
14. de Bont AJ, Baker IA, St Leger AS, Sweetnam PM, Wragg KG, Stephens SM, et al. A randomised controlled trial of the effect of low fat diet advice on dietary response in insulin independent diabetic women. *Diabetologia* 1981 Dec;21(6):529-33.
15. de Weerd I, Visser AP, Kok GJ, de Weerd O, van der Veen EA. Randomized controlled multicentre evaluation of an education programme for insulin-treated diabetic patients: effects on metabolic control, quality of life, and costs of therapy. *Diabet Med* 1991 May;8(4):338-45.
16. Deichmann RE, Castello E, Horswell R, Friday KE. Improvements in diabetic care as measured by HbA1c after a physician education project. *Diabetes Care* 1999 Oct;22(10):1612-6.
17. Falkenberg MG, Elwing BE, Goransson AM, Hellstrand BE, Riis UM. Problem oriented participatory education in the guidance of adults with non-insulin-treated type-II diabetes mellitus. *Scand J Prim Health Care* 1986 Sep;4(3):157-64.
18. Fiatarone MA, O'Neill EF, Ryan ND, Clements KM, Solares GR, Nelson ME, et al. Exercise training and nutritional supplementation for physical frailty in very elderly people. *N Engl J Med* 1994 Jun;330(25):1769-75.
19. Fisher EB, Walker EA, Bostrom A, Fischhoff B, Haire-Joshu D, Johnson SB. Behavioral science research in the prevention of diabetes : status and opportunities. *Diabetes Care* 2002 Mar;25(3):599-606.
20. Frost G, Wilding J, Beecham J. Dietary advice based on the glycaemic index improves dietary profile and metabolic control in type 2 diabetic patients. *Diabet Med* 1994 May;11(4):397-401.
21. Funnell MM, Haas LB. National Standards for Diabetes Self-Management Education Programs. *Diabetes Care* 1995 Jan;18(1):100-16.

22. Garcia R, Suarez R. Diabetes education in the elderly: a 5-year follow-up of an interactive approach. *Patient Educ Couns* 1996 Oct;29(1):87-97.
23. Gildea JL, Hendryx M, Casia C, Singh SP. The effectiveness of diabetes education programs for older patients and their spouses. *J Am Geriatr Soc* 1989 Nov;37(11):1023-30.
24. Gildea JL, Hendryx MS, Clar S, Casia C, Singh SP. Diabetes support groups improve health care of older diabetic patients. *J Am Geriatr Soc* 1992 Feb;40(2):147-50.
25. Gill TM, DiPietro L, Krumholz HM. Role of exercise stress testing and safety monitoring for older persons starting an exercise program. *JAMA* 2000 Jul;284(3):342-9.
26. Glasgow RE, La Chance PA, Toobert DJ, Brown J, Hampson SE, Riddle MC. Long-term effects and costs of brief behavioural dietary intervention for patients with diabetes delivered from the medical office. *Patient Educ Couns* 1997 Nov;32(3):175-84.
27. Glasgow RE, Toobert DJ, Hampson SE, Brown JE, Lewinsohn PM, Donnelly J. Improving self-care among older patients with type II diabetes: the "Sixty Something..." Study. *Patient Educ Couns* 1992 Feb;19(1):61-74.
28. Glasgow RE, Toobert DJ, Hampson SE, Noell JW. A brief office-based intervention to facilitate diabetes dietary self-management. *Health Educ Res* 1995 Dec;10(4):467-78.
29. Glasgow RE, Toobert DJ, Mitchell DL, Donnelly JE, Calder D. Nutrition education and social learning interventions for type II diabetes. *Diabetes Care* 1989 Feb;12(2):150-2.
30. Gonzalez-Fernandez RA, Rivera M, Torres D, Quiles J, Jackson A. Usefulness of a systemic hypertension in-hospital educational program. *Am J Cardiol* 1990 Jun;65(20):1384-6.
31. Greenfield S, Kaplan S, Ware JE Jr. Expanding patient involvement in care. Effects on patient outcomes. *Ann Intern Med* 1985 Apr;102(4):520-8.
32. Hanefeld M, Fischer S, Schmechel H, Rothe G, Schulze J, Dude H, et al. Diabetes Intervention Study. Multi-intervention trial in newly diagnosed NIDDM. *Diabetes Care* 1991 Apr;14(4):308-17.
33. Heller SR, Clarke P, Daly H, Davis I, McCulloch DK, Allison SP, et al. Group education for obese patients with type 2 diabetes: greater success at less cost. *Diabet Med* 1988 Sep;5(6):552-6.
34. Hurwitz B, Goodman C, Yudkin J. Prompting the clinical care of non-insulin dependent (type II) diabetic patients in an inner city area: one model of community care. *BMJ* 1993 Mar;306(6878):624-30.
35. Jaber LA, Halapy H, Fernet M, Tummalapalli S, Diwakaran H. Evaluation of a pharmaceutical care model on diabetes management. *Ann Pharmacother* 1996 Mar;30(3):238-43.
36. Judge JO, Whipple RH, Wolfson LI. Effects of resistive and balance exercises on isokinetic strength in older persons. *J Am Geriatr Soc* 1994 Sep;42(9):937-46.
37. Knowler WC, Barrett-Connor E, Fowler SE, Hamman RF, Lachin JM, Walker EA, et al. Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin. *N Engl J Med* 2002 Feb;346(6):393-403.
38. Litzelman DK, Slemenda CW, Langefeld CD, Hays LM, Welch MA, Bild DE, et al. Reduction of lower extremity clinical abnormalities in patients with non-insulin-dependent diabetes mellitus. A randomized, controlled trial. *Ann Intern Med* 1993 Jul;119(1):36-41.
39. Malone JM, Snyder M, Anderson G, Bernhard VM, Holloway GA Jr, Bunt TJ. Prevention of amputation by diabetic education. *Am J Surg* 1989 Dec;158(6):520-3; discussion 523-4.
40. Mazza SA, Moorman NH, Wheeler ML, Norton JA, Fineberg NS, Vinicor F, et al. The diabetes education study: a controlled trial of the effects of diabetes patient education. *Diabetes Care* 1986 Jan-1986 Feb;9(1):1-10.
41. Metz JA, Stern JS, Kris-Etherton P, Reusser ME, Morris CD, Hatton DC, et al. A randomized trial of improved weight loss with a prepared meal plan in overweight and obese patients: impact on cardiovascular risk reduction. *Arch Intern Med* 2000 Jul;160(14):2150-8.
42. Miller CK, Edwards L, Kissling G, Sanville L. Nutrition education improves metabolic outcomes among older adults with diabetes mellitus: results from a randomized controlled trial. *Prev Med* 2002 Feb;34(2):252-9.
43. Moore AA, Siu A, Partridge JM, Hays RD, Adams J. A randomized trial of office-based screening for common problems in older persons. *Am J Med* 1997 Apr;102(4):371-8.

44. Mulrow CD, Gerety MB, Kanten D, Cornell JE, DeNino LA, Chiodo L, et al. A randomized trial of physical rehabilitation for very frail nursing home residents. *JAMA* 1994 Feb;271(7):519-24.
45. Noel PH, Larme AC, Meyer J, Marsh G, Correa A, Pugh JA. Patient choice in diabetes education curriculum. Nutritional versus standard content for type 2 diabetes. *Diabetes Care* 1998 Jun;21(6):896-901.
46. Norris SL, Engelgau MM, Narayan KM. Effectiveness of self-management training in type 2 diabetes: a systematic review of randomized controlled trials. *Diabetes Care* 2001 Mar;24(3):561-87.
47. Norris SL, Lau J, Smith SJ, Schmid CH, Engelgau MM. Self-management education for adults with type 2 diabetes: a meta-analysis of the effect on glycemic control. *Diabetes Care* 2002 Jul;25(7):1159-71.
48. Padgett D, Mumford E, Hynes M, Carter R. Meta-analysis of the effects of educational and psychosocial interventions on management of diabetes mellitus. *J Clin Epidemiol* 1988;41(10):1007-30.
49. Pi-Sunyer FX, Maggio CA, McCarron DA, Reusser ME, Stern JS, Haynes RB, et al. Multicenter randomized trial of a comprehensive prepared meal program in type 2 diabetes. *Diabetes Care* 1999 Feb;22(2):191-7.
50. Raji A, Gomes H, Beard JO, MacDonald P, Conlin PR. A randomized trial comparing intensive and passive education in patients with diabetes mellitus. *Arch Intern Med* 2002 Jun;162(11):1301-4.
51. Ridgeway NA, Harvill DR, Harvill LM, Falin TM, Forester GM, Gose OD. Improved control of type 2 diabetes mellitus: a practical education/behavior modification program in a primary care clinic. *South Med J* 1999 Jul;92(7):667-72.
52. Roter DL, Hall JA, Merisca R, Nordstrom B, Cretin D, Svarstad B. Effectiveness of interventions to improve patient compliance: a meta-analysis. *Med Care* 1998 Aug;36(8):1138-61.
53. Scott RS, Beaven DW, Stafford JM. The effectiveness of diabetes education for non-insulin-dependent diabetic persons. *Diabetes Educ* 1984 Spring;10(1):36-9.
54. Skelton DA, Young A, Greig CA, Malbut KE. Effects of resistance training on strength, power, and selected functional abilities of women aged 75 and older. *J Am Geriatr Soc* 1995 Oct;43(10):1081-7.
55. Tinetti ME, Baker DI, McAvay G, Claus EB, Garrett P, Gottschalk M, et al. A multifactorial intervention to reduce the risk of falling among elderly people living in the community. *N Engl J Med* 1994 Sep;331(13):821-7.
56. Tu KS, McDaniel G, Gay JT. Diabetes self-care knowledge, behaviors, and metabolic control of older adults--the effect of a posteducational follow-up program. *Diabetes Educ* 1993 Jan-1993 Feb;19(1):25-30.
57. Turnin MC, Beddok RH, Clottes JP, Martini PF, Abadie RG, Buisson JC, et al. Telematic expert system Diabeto. New tool for diet self-monitoring for diabetic patients. *Diabetes Care* 1992 Feb;15(2):204-12.
58. Vinicor F, Cohen SJ, Mazzuca SA, Moorman N, Wheeler M, Kuebler T, et al. DIABEDS: a randomized trial of the effects of physician and/or patient education on diabetes patient outcomes. *J Chronic Dis* 1987;40(4):345-56.
59. Wheeler LA, Wheeler ML, Ours P, Swider C. Evaluation of computer-based diet education in persons with diabetes mellitus and limited educational background. *Diabetes Care* 1985 Nov-1985 Dec;8(6):537-44.
60. White N, Carnahan J, Nugent CA, Iwaoka T, Dodson MA. Management of obese patients with diabetes mellitus: comparison of advice education with group management. *Diabetes Care* 1986 Sep-1986 Oct;9(5):490-6.
61. Williams JW Jr, Mulrow CD, Kroenke K, Dhanda R, Badgett RG, Omori D, et al. Case-finding for depression in primary care: a randomized trial. *Am J Med* 1999 Jan;106(1):36-43.
62. Wing RR, Jeffery RW, Burton LR, Thorson C, Nissinoff KS, Baxter JE. Food provision vs structured meal plans in the behavioral treatment of obesity. *Int J Obes Relat Metab Disord* 1996 Jan;20(1):56-62.
63. Wise PH, Dowlatshahi DC, Farrant S, Fromson S, Meadows KA. Effect of computer-based learning on diabetes knowledge and control. *Diabetes Care* 1986 Sep-1986 Oct;9(5):504-8.
64. Wolf SL, Barnhart HX, Kutner NG, McNeely E, Coogler C, Xu T. Reducing frailty and falls in older persons: an investigation of Tai Chi and computerized balance training. Atlanta FICSIT Group. Frailty and Injuries: Cooperative Studies of Intervention Techniques. *J Am Geriatr Soc* 1996 May;44(5):489-97.